EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S118	276	(asr ((speech voice) near3 recogni\$4)) same (switch\$4 rout\$4 choos \$4 assign\$4 select\$3 allocat\$4)same(buzy idl \$4 availab\$5 usage) same (confidence scor \$4 threshold\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14
S119	243	(asr ((speech voice) near3 recogni\$4)) same (switch\$4 rout\$4 choos \$4 assign\$4 select\$3 allocat\$4)same(buzy id \$4 availab\$5 usage) same (confidence scor \$4 threshol\$4)and (CPU processing resource\$2)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 12:12
S120	82	(asr ((speech voice) near3 recognis4)) same (switch\$4 rout\$4 choos \$4 assign\$4 select\$3 allocat\$4)same(buzy idl \$4 availab\$5 usage) same (confidence soor \$4 threshold\$4) and (CPU processing resource\$2)same (predetermined threshold\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 12:13
S121	114	(switch\$4 rout\$4 choos \$4 assign\$4 select\$3	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 12:16

S122	50	(asr ((speech voice) near3 recogni\$4)) with (switch\$4 rout\$4 choos \$4 assign\$4 select\$3 allocat\$4 recommend \$4)same(buzy idl\$4 availab\$5 usage)same (confidence scor\$4 threshold\$4 predetermined)same (CPU processing resource\$2)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 12:40
S123	55	(asr ((speech voice) near3 recogni\$4)) with (switch\$4 rout\$4 choos \$4 assign\$4 select\$3 allocat\$4 recommend \$4)same(buzy idl\$4 availab\$5 usage utilization\$2)same (confidence scor\$4 threshold\$4 predetermined)same (CPU processing resource\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 12:41
S124	29	(asr ((speech voice) near3 reoognisk-1) with (switch\$4 rous\$4 choos \$4 assign\$4 select\$3 allocat\$4 recommend \$4)same(buzy idl\$4 availab\$5 usage utilization\$2)same (confidence scor\$4 threshold\$4 predetermined)and (CPU processing resource\$2)with (usage utilization\$2)	US-PGPUB; USPAT; USOCR; FPAS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 12:47
S125	120	(asr ((speech voice) near3 recogni\$4))same (buzy idl\$4 availab\$5 usage utilization\$2) same (confidence sor \$4 threshold\$4 predetermined)and (CPU processing resource\$2)with (usage utilization\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 12:52

S126	95	(asr ((speech voice) near3 recognis4)) same (buzy idl\$4 availab\$5 usage utilization\$2) same (threshold\$4 predetermined) and (CPU processing resource\$2 computing computational) with (usage utilization\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 13:07
S127	97	(asr recognizer\$2 ((speech voice)near3 recogni\$4) same(buzy id\$4 availab\$5 usage utilization\$2) same (threshold\$4 predetermined) and (CPU processing resource\$2 computing computational) with (usage utilization\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 13:07
S129	62	(asr recognizer\$2 ((speech voice)near3 recogni\$4),with(buzy idl\$4 availab\$5 usage utilization\$2)same (threshol\$4 predetermined)and (CPU processing computational)with (usage utilization\$2 threshol\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 13:09
S131	195	(asr recognizer\$2 ((speech voice)near3 recogni\$4) same(buzy idl\$4 availab\$5 usage utilization\$2)same (threshol\$4 prodetermined)and (CPU processing computation\$3)with (usage utilization\$2 threshol\$4)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2010/09/14 13:18

S133	202	lasr recognizer\$2 ((speech voice) near3 recogni\$4) with(buzy idl\$4 availab\$5 usage utilization\$2)same (CPU processing resource\$2 computing computation\$3) with (usage utilization\$2 threshold\$4 predetermined)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 13:21
S135	266	(asr recognizer\$2 ((speech voice)near3 recogni\$4))near3(buzy idl\$4 availab\$5 usage utilization\$2)and (CPU processing resource\$2 computing computation \$3)near3 (usage utilization\$2 threshold \$4 predetermined)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 13:37
S138	14	(asr recognizer\$2 ((speech voice)near3 recogni\$4).with(buzy ids\$4 availab\$5 usage utilization\$2).with (threshold\$4 lower above)and (CPU processing resource\$2 computing computation\$3).with(usage utilization\$2) with (threshold\$4 predetermined lower above)	US PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 14:51
S139	6	(asr recognizer\$2 ((speech voice)near3 recogni\$4)) with port\$2 same(buz) idl\$4 availab \$5 usage utilization\$2) and (CPU processing resource\$2 computing computation\$3) with (usage utilization\$2) with (threshold\$4 predetermined lower above)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 14:55

S140	20	(asr recognizer\$2 ((speech voice)near3 recogni\$4) with port\$2 and (CPU processing resource\$2 computing computation\$3) with (usage utilization\$2) with (threshold\$4 predetermined lower above)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14
S142	155	(asr recognizer\$2 ((speech voice)near3 recogni\$4) with (port \$2 entr\$3) and (QPU processing resource\$2 computing computation \$3) with(usage utilization\$2) same (threshold\$4 predetermined lower above)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14
S145	19	(asr recognizer\$2 ((speech voice)near3 recogni\$4)with(port\$2 channel\$2)with (usage utilization\$2) and (CPU processing resource\$2 computing computation \$3)with(usage utilization\$2)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 15:07
S146	31	(asr recognizer\$2 ((speech voice)near3 recogni\$4)with(port\$2 channel\$2)same(usage utilization\$2)and (CPU processing resource\$2 computing computation \$3)with(usage utilization\$2)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 15:07
S149	19	(asr recognizer\$2 ((speech voice)near3 recogni\$4) with (port\$2 channel\$2) with (usage utilization\$2) and (CPU processing resource\$2 computing computation \$3) with (usage utilization\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 15:17

S150		(asr recognizer\$2 ((speech voice)near3 recogni\$41) same(port \$2 channe(\$2) with (usage utilization\$2) and (CPU processing resource\$2 computing computation\$3) with (usage utilization\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14
S151	86	(asr recognizer\$2 ((speech voice)near3 recogni\$4)) same(port \$2 channel\$2) with (usage utilizatior\$2 buzy idf\$4 availab\$5) and (CPU processing resource\$2 computing computation\$3) with (usage utilization\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 15:31
S152	33	(asr recognizer\$2 ((speech voice)near3 recogni\$4) with (port\$2 channei\$2) with (usage utilization\$2 buzy idl\$4 availab\$5) and (OPU processing resource\$2 computing computation \$3) with (usage utilization\$2)	US PGPUB; USPAT; USOCR; FPHS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 15:31
S153	87	(asr recognizer\$2 ((speech voice)near3 recogni\$4) with (port\$2 channel\$2) with (usage utilization\$2 buzy idl\$4 availab\$5) and (CPU processing resource\$2 computing computation \$3) with (usage utilization\$2 availab\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 15:35
S155	137	(asr recognizer\$2 ((speech voice)near3 recogni\$4),with(port\$2 channel\$2).with(usage utilization\$2 buzy idl\$4 availab\$5 used) same (CPU processing resource\$2 computing computation\$3).with (usage utilization\$2 availab\$5 used)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 15:39

S158	***************************************	(asr recognizer\$2 ((speech voice)near3 recogni\$4)\with(port\$2 channel\$2)\with(usage utilization\$5 buzy di\$4 availab\$5 percentage) and (CPU processing resource\$2 computing computation\$3)\with (usage utilization\$2 availab\$5 percentage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 15:56
S159	1111	(asr recognizer\$2 ((speech voice)near3 recogni\$4) with (port\$2 channel\$2) with (usage utilization\$2 buzy idl\$4 availab\$5 percentage) and (CPU processing resource\$2 computation\$3 power memory) with (usage utilization\$2 availab\$5 percentage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 16:28
S160	122	(asr recognizer\$2 ((speech voice)near3 recogni\$4))with(port\$2 channel\$2)with(usage utilization\$2 buzy idl\$4 availab\$5 percentage threshol\$4) and (CPU processing resource\$2 computing computation \$3 power memory)with (usage utilization\$2 availab\$5 percentage threshol\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 22:01
S161	83	(asr recognizer\$2 ((speech voice)near3 recogni\$4))with(por1\$2 channel\$2)with(usage utilization\$2 buzy idl\$4 availab\$5 percentage threshold\$4)same(CPU processing resource\$2 computing computation \$3 power memory)	US PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DCP; UBM_TDB	OR	OFF	2010/09/14 22:29

S163	99	((speech voice)near3 recogni\$4))near3(port \$2 channel\$2)same (usage utilization\$2	OR	OFF	2010/09/14 22:30
S165	1	((speech voice)near3 recogni\$4))near3(port \$2 channel\$2)same (usage utilization\$2	OR	OFF	2010/09/28 14:43

9/30/2010 10:22:25 AM

C:\ Documents and Settings\ Isaintcyr\ My Documents\ EAST\ Workspaces\ 10668141.wsp